



BURN (THERMAL, ELECTRICAL, CHEMICAL) – PEDIATRIC

ALS STANDING ORDERS:

1. For any burn injury occurring in an enclosed space or with smoke generated at the site:
 - ▶ *High-flow Oxygen by mask or nasal cannula (direct or blow-by) as tolerated.*
2. Apply cooling measures if burn still “hot”.
3. For wheezing or suspected smoke inhalation:
 - ▶ *Albuterol, Continuous nebulization of 6 mL (5 mg) concentration as tolerated.*
4. For severe pain, systolic BP > 80: **Base contact required if ≤ 2 years of age**
 - ▶ *Morphine sulfate: 0.1 mg / kg IV/IM, may repeat once for continued pain (maximum 5 mg).*
OR,
Fentanyl 2 mcg/kg IN/IV/IM, may repeat once after 3 minutes for continued pain (maximum dose 100 mcg)
5. For blood pressure ≤ 80 or signs of shock:
 - ▶ *Establish IV access*
 - ▶ *Infuse 20 mL/kg Normal Saline bolus (maximum 250 mL), may repeat twice to maintain perfusion.*
6. Contact Base Hospital for Burn Unit destination if any of the following burn criteria are met:

Mechanism of Injury:

- Suspected inhalation injury (patients burned in an enclosed space, patients with facial burns, hoarseness, dyspnea, soot in mouth, carbonaceous sputum, singed nasal hairs).
- Electric burns (including lightning injury).
- Chemical burns (including acids and bases).

Physiological alteration:

- Burns that involve the face, hands, feet, genitalia, perineum, or major joints.
- Circumferential burns.
- Patients with a pre-existing medical condition that may complicate management or prolong recovery (e.g. diabetes, renal failure, cardiac or pulmonary disease).

Total Burn Surface Area (TBSA):

- Second degree burns >10% total body surface area (TBSA).
- Any area that appears to be a third degree burn.

Approved:

Reviewed: 4/13, 5/16, 11/16
Final Date for Implementation: 04/01/2017
OCEMS copyright © 2016



BURN (THERMAL, ELECTRICAL, CHEMICAL) – PEDIATRIC

TREATMENT GUIDELINES:

Suspected carbon monoxide poisoning (closed space burn, smoke inhalation, chemical fires):

Pulse oximetry O₂ saturation will be inaccurate due to inability of pulse oximeter to differentiate between carbon monoxide and oxygen molecule.

Chemical burns:

- Brush away any remaining dry chemical.
- Irrigate burn wound and surrounding skin with copious and continuous water or saline flush to dilute and remove as much residual chemical as possible.
 - NOTE: Some chemicals are activated by water / fluids and might worsen the burn or create hazardous fumes; e.g., sodium, phosphorus, acetyl bromide, aluminum carbide, silicon tetrachloride.

Electrical Burns:

Electrical burns may often appear insignificant while causing marked muscle and soft tissue damage. Cardiac irritability may occur with electrical burns, any high voltage, greater than 110 volt, alternating current pediatric burn victim should be transported with ALS escort and cardiac rhythm monitoring as tolerated by the child.

Approved:

A handwritten signature in blue ink, appearing to read "S. Frattone".

Reviewed: 4/13, 5/16, 11/16
Final Date for Implementation: 04/01/2017
OCEMS copyright © 2016